

AMENDMENT TO THE CLAIMS

1. (Currently Amended) A computer-implemented method comprising:
synchronizing existing target inventory location information with source inventory location information, wherein
the existing target inventory location information is stored in a target inventory location record at a target system,
the source inventory location information is stored at a plurality of source systems,
the plurality of source systems are ones of a plurality of computer systems,
the target system is another of the plurality of computer systems, and
the synchronizing comprises
extracting the source inventory location information from a plurality of source inventory location records, wherein
at least one of the plurality of source inventory location records is extracted from a first source system,
at least one of the plurality of source inventory location records is extracted from a second source system,
~~the extracting is performed by an integration server in response to a trigger,~~
~~the trigger indicates that the synchronizing should be performed,~~
the source inventory location information from each of the plurality of source inventory location records is in one of a plurality of source formats, and
each one of the plurality of source formats corresponds to at least one of the plurality of source systems,
generating **integrated intermediate** source inventory location information by converting the source inventory location information into an intermediate format,
~~integrating the converted source inventory location information into integrated source inventory location information, wherein~~
~~the integrating comprises~~

combining

at least one record of the plurality of source inventory location records is from a first source system of the plurality of source systems, and

at least one other record of the plurality of source inventory location records is from a second source system of the plurality of source systems,

converting the ~~integrated~~ intermediate source inventory location information into target inventory location information, wherein the target inventory location information is in a target format, and the target format corresponds to the target system.

2. (Previously Presented) The method of Claim 1, further comprising:
using the target inventory location information in the target format to perform at least one computer-implemented act from a set of computer-implemented acts comprising:
creating the target inventory location record in the target system if the target inventory location record does not exist.
3. (Previously Presented) The method of Claim 1, further comprising:
extracting inventory location information in a second source format that is associated with a second source system that is distinct from the first source system, wherein the second source system is one of the plurality of source systems;
converting the inventory location information in the second source format into inventory location information that is in the intermediate format;
converting the inventory location information in the intermediate format into inventory location information in the target format; and
using the inventory location information in the target format to perform at least one computer-implemented act from a set of computer-implemented acts comprising:
creating a new inventory location record in the target computerized inventory management system; and
updating an existing inventory location record in the target computerized inventory management system.

4. **(Currently Amended)** The method of Claim 1, wherein
 from the at least one ~~record of the plurality of source inventory location records~~ from the first
 source system, the extracting extracts less than all first source system inventory location
 information, and
 from the at least one ~~other record of the plurality of source inventory location records~~ from
 the second source system, the extracting extracts less than all second source system
 inventory location information.
5. **(Currently Amended)** The method of Claim 1, wherein
 the intermediate format comprises a list of inventory locations class with a hierarchy of
 data elements,
 the hierarchy of data elements comprises a plurality of inventory location elements, and
 each of the plurality of inventory location elements comprises:
 an identifier for identifying the inventory location element[{:}] ,
 a base data element for defining:
 a location description[{:}] ,
 a location name[{:}] , and
 a location type code[{:}] ,
 a list of addresses element for defining a plurality of address elements from a
 party class[{:}] ,
 a list of related business units elements for defining a plurality of business units
 associated with the inventory, and wherein each of the plurality of
 business units associated with the inventory comprises an identifier
 element[{:}] ,
 a list of related inventory locations for defining a plurality of related inventory
 locations[{:}] , and
 a custom data element for defining customized attributes for the inventory.

6. (Previously Presented) The method of Claim 5, wherein each of the plurality of address elements comprises:
- an address identifier element;
 - an address base data element, wherein the address data cleansing data element comprises a disable cleansing flag element;
 - an address data cleansing data element;
 - an address relationship data element; and
 - an address custom data element.
7. (Previously Presented) The method of Claim 6, wherein the address relationship data element comprises:
- an address effective end date element;
 - an address occupancy type code element;
 - an address effective start date element;
 - an address type code element; and
 - an address list of roles element.
8. (Previously Presented) The method of Claim 5, wherein each of the plurality of related inventory locations comprises a related inventory location identifier element and a related inventory location type code element.
9. **(Currently Amended)** A non-transitory computer-readable storage medium storing one or more sequences of instructions for managing inventory, wherein execution of the one or more sequences of instructions by one or more processors causes the one or more processors to perform:
- synchronizing existing target inventory location information with source inventory location information, wherein
- the existing target inventory location information is stored in a target inventory location record at a target system,
 - the source inventory location information is stored at a plurality of source systems,
 - the plurality of source systems are ones of a plurality of computer systems,
 - the target system is another of the plurality of computer systems, and
 - the synchronizing comprises

extracting the source inventory location information from a plurality of source inventory location records, wherein
at least one of the plurality of source inventory location records is extracted from a first source system,
at least one of the plurality of source inventory location records is extracted from a second source system,
~~the extracting is performed by an integration server in response to a trigger,~~
~~the trigger indicates that the synchronizing should be performed,~~
the source inventory location information from each of the plurality of source inventory location records is in one of a plurality of source formats, and
each one of the plurality of source formats corresponds to at least one of the plurality of source systems,
generating ~~integrated~~ intermediate source inventory location information by
converting the source inventory location information into an intermediate format,
~~integrating the converted source inventory location information into integrated source inventory location information, wherein~~
~~the integrating comprises~~
~~combining~~
~~at least one record of the plurality of source inventory location records is from a first source system of the plurality of source systems, and~~
~~at least one other record of the plurality of source inventory location records is from a second source system of the plurality of source systems,~~
converting the ~~integrated~~ intermediate source inventory location information into target inventory location information, wherein
the target inventory location information is in a target format, and
the target format corresponds to the target system.

10. (Previously Presented) The non-transitory computer-readable storage medium of Claim 9, further comprising:
using the target inventory location information in the target format to perform at least one computer-implemented act from a set of computer-implemented acts-comprising:
creating the target inventory location record in the target system if the target inventory location record does not exist.
11. (Previously Presented) The non-transitory computer-readable storage medium of Claim 9, further comprising:
extracting inventory location information in a second source format that is associated with a second source system that is distinct from the first source system, wherein the second source system is one of the plurality of source systems;
converting the inventory location information in the second source format into inventory location information that is in the intermediate format;
converting the inventory location information in the intermediate format into inventory location information in the target format; and
using the inventory location information in the target format to perform at least one computer-implemented act from a set of computer-implemented acts comprising:
creating a new inventory location record in the target computerized inventory management system; and
updating an existing inventory location record in the target computerized inventory management system.
12. (Presently Presented) The non-transitory computer-readable storage medium of Claim 9, wherein the intermediate format comprises a list of inventory locations class with a hierarchy of data elements.
13. (Previously Presented) The non-transitory computer-readable storage medium of Claim 12, wherein the hierarchy of data elements comprises a plurality of inventory location elements comprising additional elements.

14. (Previously Presented) The non-transitory computer-readable storage medium of Claim 13, wherein each of the plurality of inventory location elements comprises an identifier for identifying the inventory location element.
15. (Previously Presented) The non-transitory computer-readable storage medium of Claim 13, wherein each of the plurality of inventory location elements comprises a base data element for defining:
- a location description;
 - a location name; and
 - a location type code.
16. (Previously Presented) The non-transitory computer-readable storage medium of Claim 13, wherein each of the plurality of inventory location elements comprises a list of addresses element for defining a plurality of address elements from a party class.
17. (Previously Presented) The non-transitory computer-readable storage medium of Claim 13, wherein each of the plurality of inventory location elements comprises a list of related business units elements for defining a plurality of business units associated with the inventory.
18. (Previously Presented) The non-transitory computer-readable storage medium of Claim 13, wherein each of the plurality of inventory location elements comprises a list of related inventory locations for defining a plurality of related inventory locations.
19. (Previously Presented) The non-transitory computer-readable storage medium of Claim 13, wherein each of the plurality of inventory location elements comprises a custom data element for defining customized attributes for the inventory.
20. (Previously Presented) The non-transitory computer-readable storage medium of Claim 16, wherein each of the plurality of address elements comprises:
- an address identifier element;
 - an address base data element;
 - an address data cleansing data element;
 - an address relationship data element; and
 - an address custom data element.

21. (Previously Presented) The non-transitory computer-readable storage medium of Claim 20, wherein the address data cleansing data element comprises a disable cleansing flag element.
22. (Previously Presented) The non-transitory computer-readable storage medium of Claim 20, wherein the address relationship data element comprises:
 - an address effective end date element;
 - an address occupancy type code element;
 - an address effective start date element;
 - an address type code element; and
 - an address list of roles element.
23. (Previously Presented) The non-transitory computer-readable storage medium of Claim 17, wherein each of the plurality of business units associated with the inventory comprises an identifier element.
24. (Previously Presented) The non-transitory computer-readable storage medium of Claim 18, wherein each of the plurality of related inventory locations comprise a related inventory location identifier element and a related inventory location type code element.
- 25-32. Canceled.
33. **(Currently Amended)** A computer-implemented method comprising:
 - synchronizing **existing** target inventory location information with source inventory location information, wherein
 - the synchronizing comprises
 - extracting each of a plurality of source inventory location **information-units**
 - records** from a corresponding one of a plurality of source inventory location **records systems**, wherein
 - the source inventory location **information-comprises** **records comprise**
 - the source inventory location information **units**,
 - at least one of the plurality of source inventory location records is**
 - extracted from a first source system of the plurality of source**
 - inventory location systems.**

at least one of the plurality of source inventory location records is
extracted from a second source system of the plurality of
source inventory location systems,

~~the each of the source inventory location information units is stored in~~
~~the corresponding one of the source inventory location records,~~
~~each source inventory location record of the source inventory location~~
~~records is stored at a corresponding one of a plurality of source~~
~~systems,~~

each of the plurality of source inventory location systems employs a
 corresponding one of a plurality of source formats,

~~[[the]]~~ each of the plurality of source inventory location record is stored
 in a source format of the source formats employed by the
 corresponding one of the plurality of source inventory location
 systems, and

the plurality of source systems are ones of a plurality of computer systems,
~~the extracting is performed by an integration server in response to a~~
~~trigger, and~~

~~the trigger indicates that the synchronizing should be performed,~~
 generating intermediate source inventory location information, wherein
the intermediate source inventory location information is in an
intermediate format,

a plurality of converted source inventory location ~~information units by~~
records comprise the intermediate source inventory location
information,

the generating comprises

converting the each of the source inventory location ~~information~~
~~units records~~ into ~~an intermediate format, a~~
~~corresponding one of the plurality of converted source~~
~~inventory records,~~

each of the plurality of converted source inventory records
corresponds to a source inventory location record of the
plurality of source inventory location records, and

each of the plurality of converted source inventory records is in the intermediate format, and

~~integrating the converted source inventory location information units into integrated source inventory location information, wherein the integrating comprises combining the converted source inventory location information units,~~

converting the **integrated intermediate** source inventory location information into **the** target inventory location information, wherein

~~the existing target inventory location information is stored in a target inventory location record at a target system,~~

~~the target system is another of the plurality of computer systems,~~

~~the existing target inventory location information is stored in a target format employed by the target system, and~~

the target inventory location information is in the target format, ~~and~~

~~updating the target inventory location record with the target inventory location information, wherein~~

~~the updating is performed by the integration server,~~

~~the target inventory location record is in the target format, combine~~

~~the existing target inventory location information comprises an existing target inventory location information unit stored in the target information location record, and~~

~~the updating comprises~~

generating updated target inventory location information by integrating the existing target inventory location information unit and the target inventory location information, and

storing the updated target inventory location information in the target inventory location record.

34. (Currently Amended) The method of claim 1, ~~wherein 33, further comprising~~
determining whether a target inventory location record exists at a target system,
wherein
the target system is another of the plurality of computer systems,
the target inventory location record is in the target format; and
if the target inventory location record exists at the target system, updating the target
inventory location record with the target inventory location information,
wherein
the updating is performed by an integration server, and
the updating comprises _____
causing the integration server to push the target inventory
location information to the target system, and
if the target inventory location record does not exist at the target system,
creating the target inventory location record at the target system, and
storing the target inventory location information in the target inventory
location record.
- ~~the combining depends on:~~
- ~~inventory location information comprising inventory item characterization,~~
- ~~wherein~~
- ~~a first inventory item has a first inventory item characterization,~~
- ~~the first inventory item characterization is stored in the at least one~~
- ~~record in the first source system,~~
- ~~a second inventory item has a second inventory item characterization,~~
- ~~and~~
- ~~the second inventory item characterization is stored in the at least one~~
- ~~other record in the second source system, and~~
- ~~the first inventory item characterization at the first source system is similar~~
- ~~to the second inventory item characterization at the second source~~
- ~~system, if the first inventory item is equivalent to the second inventory~~
- ~~item.~~

35. (New) The method of Claim 1, wherein
the synchronizing is performed using an integration server,
the synchronizing is performed in response to a trigger received by the integration server,
and
the trigger indicates that at least one of the plurality of source systems has indicated that
the synchronizing should be performed.
36. (New) The method of Claim 1, wherein the converting comprises:
generating updated target inventory location information by updating the target inventory
location record using the target inventory location information, wherein
the synchronizing is performed using an integration server, and
the updating comprises
causing the integration server to push the target inventory location
information to the target system.